

TEST REPORT

Product Name	:	Adapter Box
Model Number	:	Adapter Box G2

Prepared for Address	:	SolaX Power Network Technology (Zhejiang) Co. ,Ltd. No.288,Shizhu Road, Tonglu Economic Development Zone, Tonglu City, Zhejiang Province, 310000 P.R. China
Prepared by Address	::	EMTEK (DONGGUAN) CO., LTD. -1&2F., Building 2, Zone A, Zhongda Marine Biotechnology Research and Development Base, No. 9, Xincheng Avenue, Songshanhu High-technology Industrial Development Zone, Dongguan, Guangdong, China Tel : +86-0769-22807078 Fax: +86-0769-22807079

Report Number	:	EDG2209290149E01403R
Date(s) of Tests	:	September 29, 2022 to January 16, 2023
Date of Issue	:	January 17, 2023



 东美市信测科技有限公司

 地址: 广东省东莞市松山湖高新技术产业开发区新城大道9号中大海洋生物科技研发基地A区2号办公楼负一层、第二层 网址: Http://www.emtek.com.cn 邮箱: E-mail: project@emtek.com.cn

 EMTEK (Dongguan) Co., Ltd.
 Add: -182/F ., Building 2,Zone A,Zhongda Marine Biotechnology Research and Development Base ,No.9, Xincheng Avenue, Songshanhu High-technology Industrial Development Zone,

 Dongguan, Guangdong, China Http://www.emtek.com.cn E-mail: project@emtek.com.cn



TABLE OF CONTENTS

1	. TEST RESULT CERTIFICATION	. 3
2	EUT DESCRIPTION	.4
3	FACILITIES AND ACCREDITATIONS	.6
	3.1 FACILITIES	.6
	3.2 EQUIPMENT	. 6
	3.3 LABORATORY ACCREDITATIONS AND LISTINGS	-
4	. GENERAL PRODUCT INFORMATION	.7
	4.1 Basic RestrictioN	. 7
	4.2 EVALUATION ROUTINE	.8
5	TEST RESULT	. 9
	5.1 DETAILED RESULTS	9



 东莞市信测科技有限公司
 地址:广东省东莞市松山湖高新技术产业开发区新城大道9号中大海洋生物科技研发基地A区2号办公楼负一层、第二层 网址:Http://www.emtek.com.cn 邮箱:E-mail: project@emtek.com.cn

 EMTEK (Dongguan) Co., Ltd.
 Add: -182/F , Building 2,Zone A,Zhongda Marine Biotechnology Research and Development Base ,No.9, Xincheng Avenue,Songshanhu High-technology Industrial Development Zone,

 Dongguan, Guangdong,China
 Http://www.emtek.com.cn



1. TEST RESULT CERTIFICATION

Applicant	:	SolaX Power Network Technology (Zhejiang) Co. ,Ltd.
Address	:	No.288,Shizhu Road, Tonglu Economic Development Zone, Tonglu City, Zhejiang Province, 310000 P.R. China
Manufacturer	:	SolaX Power Network Technology (Zhejiang) Co. ,Ltd.
Address	:	No.288,Shizhu Road, Tonglu Economic Development Zone, Tonglu City, Zhejiang Province, 310000 P.R. China
EUT	:	Adapter Box
Model Name	:	Adapter Box G2
Trademark	:	SolaX Power

Measurement Procedure Used:

APPLICABLE STANDARDS		
STANDARD TEST RESULT		
EN IEC 62311:2020 EN 50665:2017	PASS	

The device described above is tested by EMTEK (DONGGUAN) CO., LTD. to determine the maximum emission levels emanating from the device and the severe levels of the device can endure and its performance criterion. This report shows the EUT to be technically compliant with the EN IEC 62311:2020 and EN 50665:2017 requirements. The test results are contained in this report and EMTEK (DONGGUAN) CO., LTD. is assumed full responsibility for the accuracy and completeness of these tests.

This report applies to above tested sample only and shall not be reproduced in part without written approval of EMTEK (DONGGUAN) CO., LTD.

Date of Test :	September 29, 2022 to January 16, 2023
Prepared by :	Warren Deng
	Warren deng /Engineer
	Tim Dorg
Reviewer :	Tim Dong /Supervisor
Approved & Authorized Signer :	* GLITO
	Sam Lv /Manager

东莞市信测科技有限公司 地址:广东省东莞市松山湖高新技术产业开发区新城大道9号中大海洋生物科技研发基地A区2号办公楼负一层. 第二层 网址:Http://www.emtek.com.cn 邮箱:E-mail: project@emtek.com.cn EMTEK (Dongguan) Co., Ltd. Add: -182/F , Building 2, Zone A, Zhongda Marine Biotechnology Research and Development Base , No.9, Xincheng Avenue, Songshanhu High-technology Industrial Development Zone, Dongguan, Guangdong, China Http://www.emtek.com.cn E-mail: project@emtek.com.cn



2. EUT DESCRIPTION

Product:	Adapter Box	
Model Number:	•	
	Adapter Box G2	
Sample Number:	1#	
WIFI		
WLAN Supported:	 ⊠ 802.11b ⊠ 802.11g ⊠ 802.11n(20MHz channel bandwidth) □ 802.11n(40MHz channel bandwidth) 	
Modulation:	 ☑ DSSS with DBPSK/DQPSK/CCK for 802.11b ☑ OFDM with BPSK/QPSK/16QAM/64QAM for 802.11g/n 	
Frequency Range:	 ☑ 2412-2472MHz for 802.11b/g/n(HT20) ☑ 2422-2462MHz for 802.11n(HT40) 	
Number of Channels:	 ☑ 13 Channels for 802.11b/g/n(HT20) ☑ 9 Channels for 802.11n(HT40) 	
Max Transmit Power:	17.94 dBm	
Antenna:	PCB Antenna	
Antenna Gain:	3.28 dBi	
Test Voltage:	AC 100-240V, 50/60Hz	
Adapter:	M/N: ABT020120A Input: AC 100-240V, 50/60Hz, 1.5A Output: DC 12V, 2A, 24W	
Date of Received:	September 29, 2022	
Temperature Range:	-40°C ~ +65°C	

Note: for more details, please refer to the User's manual of the EUT.

 东第市信測科技有限公司

 地址:广东省东莞市松山湖高新技术产业开发区新城大道9号中大海洋生物科技研发基地A区2号办公楼负一层、第二层 网址:Http://www.emtek.com.cn 邮箱:E-mail: project@emtek.com.cn

 EMTEK (Dongguan) Co., Ltd.

 Add: -1&27F ...,Building 2,Zone A,Zhongda Marine Biotechnology Research and Development Base ,No.9, Xincheng Avenue,Songshanhu High-technology Industrial Development Zone,

 Dongguan, Guangdong,China
 Http://www.emtek.com.cn

 E-mail: project@emtek.com.cn



Modified Information

Version	Report No.	Revision Date	Summary
/	EDG2209290149E01403R	1	Original Report



 东莞市信测科技有限公司
 地址:广东省东莞市松山湖高新技术产业开发区新城大道9号中大海洋生物科技研发基地A区2号办公楼负一层、第二层 网址:Http://www.emtek.com.cn 邮箱:E-mail: project@emtek.com.cn

 EMTEK (Dongguan) Co., Ltd.
 Add: -1&2/F .,Building 2,Zone A,Zhongda Marine Biotechnology Research and Development Base ,No.9, Xincheng Avenue,Songshanhu High-technology Industrial Development Zone,

 Dongguan, Guangdong,China
 Http://www.emtek.com.cn



3. FACILITIES AND ACCREDITATIONS

3.1 FACILITIES

All measurement facilities used to collect the measurement data are located at EMTEK (DONGGUAN) CO., LTD.

-1&2F., Building 2, Zone A, Zhongda Marine Biotechnology Research and Development Base, No. 9, Xincheng Avenue, Songshanhu High-technology Industrial Development Zone, Dongguan, Guangdong, China

The sites are constructed in conformance with the requirements of ANSI C63.7, ANSI C63.10 and CISPR Publication 32.

3.2 EQUIPMENT

Radiated emissions are measured with one or more of the following types of linearly polarized antennas: tuned dipole, biconical, log periodic, bi-log, and/or ridged waveguide, horn. Spectrum analyzers with preselectors and guasi-peak detectors are used to perform radiated measurements.

Conducted emissions are measured with Line Impedance Stabilization Networks and EMI Test Receivers.

Calibrated wideband preamplifiers, coaxial cables, and coaxial attenuators are also used for making measurements.

All receiving equipment conforms to CISPR Publication 16-1, "Radio Interference Measuring Apparatus and Measurement Methods."

3.3 LABORATORY ACCREDITATIONS AND LISTINGS

Site Description EMC Lab.	 Accredited by CNAS, 2020.08.27 The certificate is valid until 2024.07.05 The Laboratory has been assessed and proved to be in compliance with CNAS/CL01:2018 The Certificate Registration Number is L3150 Accredited by FCC Designation Number: CN1300 Test Firm Registration Number: 945551
	Accredited by A2LA, April 05, 2021 The Certificate Registration Number is 4321.02 Accredited by Industry Canada The Certificate Registration Number is CN0113
Name of Firm Site Location	 EMTEK (DONGGUAN) CO., LTD. -1&2F., Building 2, Zone A, Zhongda Marine Biotechnology Research and Development Base, No. 9, Xincheng Avenue, Songshanhu High-technology Industrial Development Zone, Dongguan, Guangdong, China

东莞市信调料转有限公司 地址:广东省东莞市松山湖高新技术产业开发区新城大道9号中大海洋生物科技研发基地A区2号办公楼负一层、第二层 网址:Http://www.emtek.com.cn 邮箱:E-mail: project@emtek.com.cn EMTEK (Dongguan) Co., Ltd. Add: -182/F , Building 2, Zone A, Zhongda Marine Biotechnology Research and Development Base , No.9, Xincheng Avenue, Songshanhu High-technology Industrial Development Zone, Dongguan, Guangdong, China Http://www.emtek.com.cn E-mail: project@emtek.com.cn



4. GENERAL PRODUCT INFORMATION

4.1 BASIC RESTRICTION

Reference Levels

Council Recommendation 99/519/EC Annex III Reference levels for electric, magnetic and electromagnetic fields (0 Hz to 300GHz)

Frequency range	E-field strength (V/m)	H-field strength (A/m)	B-field (μT)	Equivalent plane wave power density Seq (W/m2)
0-1 Hz	-	3.2×10 ⁴	4×10 ⁴	-
1-8 Hz	10000	3.2×10 ⁴ /f ²	4×10 ⁴ /f ²	
8-25 Hz	10000	4000/f	5000/f	ie i
0.025-0.8 kHz	250/f	4/f	5/f	14
0.8-3 kHz	250/f	5	6.25	376
3-150 kHz	87	5	6.25	622
0.15-1 MHz	87	0.73/f	0.92/f	-
1-10 MHz	87/f ^{1/2}	0.73/f	0.92/f	-
10-400 MHz	28	0.073	0.095	2
400-2000 MHz	1.375 f ^{1/2}	0.0037 f ^{1/2}	0.0046 f ^{1/2}	f/200
2-300 GHz	61	0.16	0.2	10


Notes:

- 1. As indicated in the frequency range column.
- 2. For frequencies between 100kHz and 10 GHz, Seq, E2, H2 and B2 are to averaged over any six-minute period.
- 3. For frequencies exceeding 10 GHz, Seq, E2, H2, and B2 are averaged over any 68/1.05-minute period(in GHz).
- 4. No E-field value is provided for frequencies<1 Hz, which are effectively static electric fields. For most people the annoying perception of surface electric charges will not occur at field strengths less than 25 kV/m. Spark discharges causing stress or annoyance should be avoided.



4.2 EVALUATION ROUTINE

Low Power Electronic Apparatus for RF exposure evaluation routine



EMTEK (Dongguan) Co., Ltd.

东莞市信测科技有限公司 地址:广东省东莞市松山湖高新技术产业开发区新城大道9号中大海洋生物科技研发基地A区2号办公楼负一层. 第二层 网址:Http://www.emtek.com.cn 邮箱:E-mail: project@emtek.com.cn Add: -182/F ., Building 2, Zone A, Zhongda Marine Biotechnology Research and Development Base , No.9, Xincheng Avenue, Songshanhu High-technology Industrial Development Zone, Dongguan, Guangdong, China Http://www.emtek.com.cn E-mail: project@emtek.com.cn



5. TEST RESULT

5.1 DETAILED RESULTS

5.1.1 Measurement of RF conducted Power

Band		
WiFi	2.4G	

EIRP Power 17.94 dBm

- 5.1.2 MPE Evaluation
 - $S = EIRP/4\pi R^2$

R = distance to the center of radiation of antenna (in meter) = 0.20 m

Note:

- EIRP=P*G* Duty factor
- 2) P (Watts) = (10 ^ (dBm /10))/1000
- 3) G (Antenna gain in numeric) = 10[^] (Antenna gain in dBi /10)
- 4) Duty factor
- 5) **∏=**3.142

Mode	

Duty factor 1

5.1.3 Summary of Results

The maximum power density at a distance of 0.2 m for WIFI is shown as below:

Mode	EIRP Power (dBm)	EIRP Power (W)	Duty factor	Calculated RF Exposure (W/ m²)	Limit (W/ m²)
WIFI 2.4GHz	17.94	0.062	1	0.123	10

5.1.4 Measurement Uncertainty

Extended Uncertainty (k=2) 95% 0.5dB

*** End of Report ***



声 明

Statement

1. 本报告无授权批准人签字及"检验报告专用章"无效;

This report will be void without authorized signature or special seal for testing report.

2. 未经许可本报告不得部分复制;

This report shall not be copied partly without authorization.

3. 本报告的检测结果仅对送测样品有效,委托方对样品的代表性和资料的真实性负责;

The test results or observations are applicable only to tested sample. Client shall be responsible for representativeness of the sample and authenticity of the material.

 本检测报告中检测项目标注有特殊符号则该项目不在资质认定范围内,仅作为客户委托、科研、教学或内部 质量控制等目的使用;

The observations or tests with special mark fall outside the scope of accreditation, and are only used for purpose of commission, research, training, internal quality control etc.

5. 本检测报告以实测值进行符合性判定,未考虑不确定度所带来的风险,本实验室不承担相关责任,特别约定、标准或规范中有明确规定的除外;

The test results or observations are provided in accordance with measured value, without taking risks caused by uncertainty into account. Without explicit stipulation in special agreements, standards or regulations, EMTEK shall not assume any responsibility.

6. 对本检测报告若有异议,请于收到报告之日起20日内提出;

Objections shall be raised within 20 days from the date receiving the report.